L Number	Hits	Search Text	DB	Time stamp
1	5791	//717/2 6 F 0 140 161\ or	USPAT;	2004/03/22
1	3791	((717/2,6,5,9,140-161) or (712/207-219,234,239) or (714/2)).CCLS.	US-PGPUB; EPO; JPO;	08:51
			DERWENT; IBM_TDB	
-	4	<pre>(map\$5 near4 if-conversion) and (predicat\$3 near4 (execution or instruction or optimi\$5 or code))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:01
-	6	("5239663" "5649135" "5650936"	IBM_TDB USPAT	2004/03/20
-	3	"5652835" "5694577" "5696956").PN. 5943499.URPN.	USPAT	12:20 2004/03/20 12:40
-	49	(optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or	USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:06
-	44	execution or operation)) ((optimi\$5 or reduc\$5 or replac\$4 or	DERWENT; IBM_TDB USPAT;	2004/03/20
		minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation))) and (@ad<=20010207 or @rlad<=20010207)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	13:06
-	57	(optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:06
-	48	((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:21
-	5	(@ad<=20010207 or @rlad<=20010207) (((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:15
-	11	<pre>(@ad<=20010207 or @rlad<=20010207)) and (if-conversion) (speculation or if-convers\$3 or compensation) and (partial\$3 adj2 (predicat\$3 near5 (execution or code or instruction or operation)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 16:41
-	8	((speculation or if-convers\$3 or compensation) and (partial\$3 adj2 (predicat\$3 near5 (execution or code or instruction or operation)))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:37
-	5	(@ad<=20010207 or @rlad<=20010207) (interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:29
_	4	((interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 13:35
~	27	(@ad<=20010207 or @rlad<=20010207) ((interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5).ab.) and 717/\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:37
-	20	(((interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5).ab.) and 717/\$) and (@ad<=20010207 or @rlad<=20010207)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:41

Search History 3/22/04 8:53:29 AM Page 1

		_		
-	575	<pre>interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:41
_	452	<pre>instruction or operation))) ((speculation or compensation or</pre>	DERWENT; IBM_TDB USPAT;	2004/03/20
		interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or	US-PGPUB; EPO; JPO;	13:45
		instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)	DERWENT; IBM_TDB	
_	25	<pre>(((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/20
		instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or	DERWENT; IBM_TDB	
-	1	execution or operation or code))) ((interpretation and compensation) same optimi\$4) and 717/\$ and predicat\$4	USPAT; US-PGPUB; EPO; JPO;	2004/03/20 13:44
_	10	(interpretation and compensation) and 717/\$ and predicat\$4	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/03/20 13:45
:			EPO; JPO; DERWENT; IBM TDB	
-	9	((interpretation and compensation) and 717/\$ and predicat\$4) and (@ad<=20010207) or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 15:32
_	7	("5632023" "5758051" "5799179" "5901308" "5999738" "6260189" "6442679").PN.	IBM_TDB USPAT	2004/03/20 14:07
-	6	(Schlansker and Johnson).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 15:31
_	5	5920716.URPN.	IBM_TDB USPAT	2004/03/20 14:21
-	7	("5920716" "5937195" "6009512" "6157996" "6260190" "6282708" "6594824").PN.	USPAT	2004/03/20 14:24
-	14	(compensation near2 code) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 15:41
_	11	((compensation near2 code) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 712/\$)) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/20 15:41
_	87	(interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 712/\$)	USPAT; US-PGPUB; EPO; JPO;	2004/03/20 15:41
			DERWENT; IBM TDB	
-	72	((interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 712/\$)) and (@ad<=20010207 or @rlad<=20010207)	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/20 16:25
-	1	interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/20 16:22
			DERWENT; IBM TDB	

Search History 3/2

3/22/04 8:53:29 AM

36 (avoid\$4 or replac\$4 or eliminat\$4) near6 (predication) 16:25					
30	_	38		US-PGPUB; EPO; JPO; DERWENT;	
10	_	30	near6 ((predicat\$3 near2 execution) or predication)) and (@ad<=20010207 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 3 predication near3 (hazards or fault or misprediction or interrupt) - 2 6260189.URPN. - 2 predication near3 (penalty or pitfall) - 2 predication near3 (penalty or pitfall) - 33 (((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation)))) and ((interpretation) and schedul\$4 and predicat\$3 near5 (execution or code or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or	-	10	near6 ((predicat\$3 near2 execution) or predication)) and (@ad<=20010207 or @rlad<=20010207)) and ((avoid\$4 or replac\$4 or eliminat\$4) adj6 ((predicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
16:32 2004/03/20 16:34 16:32 2004/03/20 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34 16:34	-	3	predication near3 (hazards or fault or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	1
S-PGPUB; EPO; JPO; DERWENT; IBM_TDB SPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPU	-	2	6260189.URPN.	USPAT	1
interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation))) and ((ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 712/\$)) ((((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation))) and ((ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or 71	-	2	predication near3 (penalty or pitfall)	US-PGPUB; EPO; JPO; DERWENT;	1
<pre>1</pre>	_	33	<pre>interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul\$4 and</pre>	US-PGPUB; EPO; JPO; DERWENT;	
- 16 if-conversion and predicat\$3 and speculation Speculation USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U	-	3	((((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul\$4 and predicat\$5 and (717/\$ or 711/\$ or	US-PGPUB; EPO; JPO; DERWENT;	
- 10 (if-conversion and predicat\$3 and USPAT; 2004/03/20 speculation) and (@ad<=20010207 or US-PGPUB; EPO; JPO; DERWENT;	_	16	if-conversion and predicat\$3 and	US-PGPUB; EPO; JPO; DERWENT;	, ,
	_	10	speculation) and (@ad<=20010207 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	1